



## Kenya: Birds and Other Wildlife, custom trip report

August 2014



Silvery-cheeked Hornbill

Kenya lies across the equator, ranging in altitude from 5199 m to sea level. The country's topography and climate are highly varied, hence it exhibits many different habitats and vegetation types. Huge populations of wildlife are concentrated in protected areas, mainly national parks, national reserves, and conservancies. However, there are also opportunities to find a wealth of biodiversity in non-protected areas, as for example in Important Bird Areas (IBAs), some of which are found in non-protected areas, while others are located in protected areas. The IBAs provide a good chance to see some of the national or regional endemic species of both flora and fauna. They also provide opportunities for visitors to interact with local populations, which might be sharing their knowledge of indigenous life and traditional lifestyles. Our 15-day safari took us through unique and pristine habitats, ranging from the coastal strip of the Indian Ocean and its dry forest to the expansive savanna bushland of Tsavo East National Park, the semiarid steppes of Samburu National Park in northern Kenya, the mountain range of the Taita Hills, tropical rainforests, and Rift Valley lakes, before ending in the Masai Mara in southwestern Kenya. The variance of these habitats provided unique and rich wildlife diversity.

### Nairobi

The city of Nairobi has much to offer its visitors. The Nairobi National Park is just seven kilometers away from the city and offers lots of wildlife. With open plains, savanna grasslands and bush land, and numerous wetlands the park provides a fascinating introduction to Kenya's birds and mammals. The Nairobi Arboretum offers a great diversity of montane avifauna. The Kikuyu Escarpment Forest on the slopes of the Aberdare Range is a great habitat for highland forest birds. An afternoon at the Manguo Ponds and its surrounding area provides good opportunities to see Hunter's Cisticola, Golden-winged Sunbird, Augur Buzzard, Common Moorhen, Yellow-billed Duck, African Spoonbill, Little Egret, Great Egret, Common Sandpiper, and Red-billed Firefinch, among others.

On August 1<sup>st</sup> Jaynee, one of our clients, arrived at Jomo Kenyatta International Airport late in the evening, and we had introductions and a briefing before she was transferred to the Boulevard Hotel.

On August 2<sup>nd</sup> after breakfast we visited the Elephant Orphanage and after lunch drove to the Giraffe Center, where we interacted with Rothschild's giraffes by feeding them pellets. In the late afternoon we went birding and watched **Yellow-whiskered Greenbul, Red-billed Firefinch, Rüppell's Robin-Chat, and Cabanis's Greenbul**, among others. In the evening we traveled to the airport to meet our safari guide and the driver and to pick up Lu, who was coming in from Namibia.

The next morning after breakfast we had a bird walk on the hotel grounds before driving to Manguo Ponds in Limuru. This wetland was teeming with **African Sacred Ibis, Hadada Ibis, Grey Heron, Yellow-billed Stork, Black Crake, Red-knobbed Coot, and Yellow-billed Duck**. We then moved to a hill past Limuru and enjoyed **Little Egret, Augur Buzzard, Rock Martin, Hunter's Cisticola, Cape Robin-Chat, and Golden-winged Sunbird**.



Grey Heron



Black Crake



Red-knobbed Coot

### Coastal Trip

We started our trip to the coast by flying from Nairobi to Malindi, where we met Willy, our local guide. After lunch at A Rocha Kenya we drove to Mida Creek in the Malindi Marine National Park. This is a complex of marine tidal habitats on the southern coast of Kenya, composed of coral gardens, mangrove forests, reefs, islets, and sandy beaches. This area is an important feeding ground for coastal avian migrants. Here we enjoyed, among others, **African Snipe**, **Eurasian Curlew**, **Whimbrel**, **Common Redshank**, **Curlew** and **Common Sandpipers**, **Kittlitz's**, **Three-banded**, and **Grey Plovers**, **Greater** and **Lesser Sand Plovers**, and, as a special bonus, the enigmatic **Crab-plover**.

### Arabuko Sokoke Forest

Our bird list suddenly increased substantially with a full day in the Arabuko Sokoke coastal dry forest. This is a biodiversity hotspot, which forms part of the East Africa Coastal Forests, one of the Endemic Bird Areas of the World.

In the bush thickets just behind the forest office we found the endemic golden-rumped sengi, a beautiful little elephant shrew, restricted to the coastal forests of northern Kenya and one of our mammalian highlights. Five meters from the shrew a **Red-caped Robin-Chat** was hopping around. Without having to move far we spent the better part of the morning birding around the office, where both **Silvery-cheeked** and **Trumpeter Hornbills** provided great views, calling from the trees in front of the forest office.

We proceeded into the woods during light showers of rain, while we admired **Crested Guineafowls** crisscrossing the trails. After the rain had ceased it was a shiny morning again,

with lots of forest bird symphonies and choruses. We found **Forest Batis**, **Mombasa Woodpecker**, **Green Tinkerbird**, **Scaly-throated Honeyguide**, **Amani Sunbird**, and **Malindi Pipit**, among others, before our lunch break.

After lunch we entered some *Brachystegia* woodland, looking for **Sokoke Scops Owl**. A pair of little brown morphs five meters away was spotted by Willy. Later a flock of **Clarke's Weavers** was passing by on their way to their roosting site. Heading back to the road, we spotted **Narina Trogon** in trees along the road.

We had another morning on the forest trails on the following day, and there was no rain. The forest was alive with bird choruses. In the forest canopy we enjoyed a flock of 10 **Chestnut-fronted Helmetshrikes**. We also patiently searched for **Four-colored Bushshrike**, sometimes wandering off the trails. **East Coast Akalat** crisscrossed the trails, but was very quiet. In the canopy we found **Pale Batis** and **Plain-backed** and **Amani Sunbirds**.

### **Sabaki River Mouth**

Five kilometers north of Malindi town we birded the Sabaki River Mouth. On the mud banks and in the freshwater pools we saw **Lesser Flamingo** and **Great Egret**, while in the vegetation thickets were male **Zanzibar Red Bishop** in breeding plumage and **White-browed Coucal**.

### **Tsavo East National Park and Taita Hills Wildlife Sanctuary**

On the way to Tsavo we visited the Gede Ruins National Monument. These are excavated ruins of an old Arab-African town, abandoned in the 17<sup>th</sup> century. This monument is managed by The National Museums of Kenya as a historic site. The Arabs settled along the East Coast of Africa, where they transacted trade along the coast.

We then proceeded to Tsavo East National Park, birding en route. On the power lines at intervals of a few kilometers we saw multiple **Lizard Buzzards**. Thickets of bushes lined the road, with lots of birds. **Northern Carmine Bee-eater**, **Red-and-yellow Barbet**, **Grey Wren-Warbler**, **Eastern Chanting Goshawk**, and **Bateleur** were observed along the roadside.

We arrived at the Sala Gate of Tsavo East National Park at 12:30 p.m. and had some lunch at the gate. After lunch we proceeded into the park, where we spent the afternoon birding, but it was rather quiet, and **Somali Ostrich** was one of the few new birds added to our list. In the evening we proceeded to Taita Hills Wildlife Sanctuary, where we spent the night at the Sarova Taita Hills Game Lodge.

The Taita Hills Wildlife Sanctuary has greater habitat diversity than Tsavo East, ranging from savanna woodland, riverine woodland, and open shrub to savanna grassland and rivers and marshes. It is therefore also much richer in avian diversity. **Grey-headed** and **Striped Kingfishers** were spotted in huge acacia trees. Also seen were **Black-headed Oriole**, **Retz's Helmetshrike**, **Jameson's Firefinch**, **Red-billed Buffalo Weaver**, **Knob-billed Duck**, **Yellow-billed Stork**, **Eastern Violet-backed Sunbird**, **Red-billed Oxpecker**, **White-bellied Bustard**, and **African Hawk-Eagle**.

We returned back to the lodge for lunch and in the afternoon drove to the Taita Hills Afromontane Forest in search of the Taita endemics, **Taita Thrush**, **Taita White-eye**, and **Taita Apalis**. In addition, this was a great opportunity to see **White-starred Robin**.



Northern Carmine Bee-eater



White-bellied Bustard



Red-billed Oxpecker

### Samburu

From Taita Hills we flew back to Nairobi and from there to the semi-arid north of Kenya, arriving at the Samburu Simba Lodge at lunch time. Samburu National Reserve is a magnificent park with a unique species diversity of both mammals and birds found mainly north of the equator. This is one of the few places to see gerenuk, reticulated giraffe, Grevy's zebra, and Günther's dik-dik, among others. Some of the great birds we saw here were **White-headed Mousebird**, **Vulturine Guineafowl**, **Martial Eagle**, the northern subspecies of **Crested Francolin**, **Bateleur**, **Eastern Yellow-billed Hornbill**, **Northern Red-billed Hornbill**, **Donaldson Smith's Sparrow-Weaver**, **Somali Bee-eater**, and **Somali Ostrich**, among others.



Martial Eagle



Donaldson Smith's Sparrow-Weaver



Northern Red-billed Hornbill



Kori Bustard



Grevy's zebra



Gerenuk

### Lake Nakuru National Park

Lake Nakuru National Park was the first bird sanctuary in Kenya due to its spectacular iconic view of pink Lesser Flamingos and huge flocks of both Great White and Pink-backed Pelicans among thousands of other flocks of birds. This is one of the Rift Valley saline lakes that host close to two to four million breeding Lesser Flamingos every year.

In the past two years the water level of the lake had tremendously increased beyond its normal level, flooding even the adjacent terrestrial habitat. This has caused a sudden change in the ecosystem. Lesser Flamingos, which depend on algae, have been affected, since the algae supply has been diluted by the increased water quantities. So we observed only lesser numbers of both **Lesser and Greater Flamingos**, but enjoyed good numbers of **Great Egret, Little Egret, Grey Heron, Cape Teal, and Red-billed Teal** and also saw **Malachite Kingfisher**. In the terrestrial habitat, mostly acacia woodland, we found **African Grey Woodpecker, Nubian Woodpecker, Mocking Cliff Chat, and African Fish Eagle**, among many others. The park is also a rhino sanctuary, hence we had the opportunity to see both black and white rhinos. Other mammals seen were Rothschild's giraffe, spotted hyena, and African buffalo, among others.



Little Egret



Malachite Kingfisher



African Fish Eagle

### Lake Victoria, Kisumu

Lake Victoria is Africa's largest lake and the second-largest freshwater lake in the world. It is also the world's largest tropical lake. We arrived at the famous Kiboko Bay Resort in Kisumu in the evening. The next morning we had a boat ride, exploring the shores of Lake Victoria with the help of a local guide. Right at the edge of the camp we found **Swamp Flycatcher** and later **African Pygmy Kingfisher**, **Orange-tufted Sunbird**, **Blue-headed Coucal**, **Black-headed Weaver**, **Little Weaver**, **Slender-billed Weaver**, and **Orange Weaver**.

### Kakamega Forest National Reserve

Kakamega Forest, a magnificent area of rainforest north of Lake Victoria, is about a 45-minute drive from Kisumu city, during which we had our second experience with rain, after Arabuko Sokoke at the coast. We arrived in the evening at the luxurious Rondo Retreat at Kakamega.

Early the next morning before breakfast we took a walk in the lodge compound and its surroundings. After breakfast we went for a long walk in the forest along the trails. This forest is pristine rainforest with very different bird species, most of which are only found in this western area within Kenya. We enjoyed numerous species of greenbuls, among them **Joyful Greenbul**, **Yellow-whiskered Greenbul**, and **Cabanis's Greenbul**. Other nice birds were **Black-headed Oriole**, **Brown-chested Alethe**, **Yellow-billed Barbet**, **Equatorial Akalat**, and the majestic **Black-and-white-casqued Hornbill**.

In the evening we drove to the Ikuywa River, where we found **Red-headed Malimbe**, **White-headed Wood Hoopoe**, **African Blue Flycatcher**, **African Yellow White-eye**, **Chubb's Cisticola**, and plenty of others.

The following day was spent hiking on forest trails. We started with the fish pond area, where we saw **White-spotted Flufftail** and **Grey-winged Robin-Chat**. A few meters south of the lodge along the main road we came across a flock of both **Great Blue Turacos** and **Ross's Turacos** feeding together in the same trees.



African Blue Flycatcher



Black-and-white-casqued Hornbill

### Lake Naivasha, the Kieni forest, and the Kinangop grasslands

Lake Naivasha is a freshwater lake, part of the chain of the Great Rift Valley lakes. We arrived here late in the evening, showered, and settled for dinner. In the morning we went birding around the lodge, and immediately after breakfast we headed to the Kieni forest (part of the Kikuyu escarpment forest IBA) on the slope of the Aberdare Mountains, where we found **Mountain Greenbul**, **Yellow-whiskered Greenbul**, and **Hartlaub's Turaco**. Along the road we saw **African Stonechat**, **Northern Double-collared Sunbird**, and **Augur Buzzard**, among others. On our way back we stopped at the Kinangop grasslands, montane grasslands being the habitat of the endangered **Sharpe's Longclaw**. We were lucky enough here to spot three pairs of the longclaw. Also seen were **African Pipit** and **Crowned** and **Black-headed Lapwings**.

### Masai Mara

After many stops along the roadside for birding as well looking at wildlife and people, we finally arrived at the Masai Mara. We checked in at the Sarova Mara Game Camp in time for lunch, the meal of the trip. After lunch we had a break until 3:30 p.m., when we went on a game drive. The patch of tropical forest on the lodge grounds provided us with **African Green Pigeon** and **Rüppell's Robin-Chat**. As we left we saw **Little Bee-eater** and **Long-tailed Glossy Starling** at the gate. A **Tawny Eagle** was found nesting on a tree next to the lodge.

We proceeded with our game drive and particularly appreciated a panoramic view of the park in the evening, packed with a huge biomass of African buffalo, African elephant, common eland, topi, and Coke's hartebeest, and a cheetah was much admired. This was also our vulture day: we observed lots of **White-backed Vultures**, **White-headed Vulture**, **Hooded Vulture**, **Rüppell's Vulture**, and **Lappet-faced Vulture**. We came back to the lodge a bit tired after seeing too much of everything.

On our final day in the park we had a full day out with a picnic lunch. We drove to the Mara River, where we enjoyed hundreds of hippos in the water. There were also Nile crocodiles along the banks of the river. Climbing out of the vehicle at the river bridge and looking down toward the river, we saw hundreds of vultures and **Marabou Storks** feeding on a dead wildebeest. We crossed the bridge and encountered **Blue-spotted Wood Dove**, and on the ground **Red-necked Spurfowl** were scurrying about.





Cheetah



African elephant

### Summary

During our 15-day safari we recorded a total of 472 species of birds. We also saw 45 species and subspecies of mammals. Considering the fact that this trip took place outside of the palearctic migration season, this was a very acceptable number of species encountered, which was the result of close collaboration between our clients, the driver, the local guides, and our full-time guide. We were lucky enough to have had unlimited game drives and sufficient time to pay attention to details.

<b>KENYA 2014 BIRD LIST</b>		
<b>Common Name (IOC 5.1)</b>	<b>Scientific Name (IOC 5.1)</b>	<b>Trip</b>
	<b>STRUTHIONIFORMES</b>	
<b>Ostriches</b>	<b>Struthionidae</b>	
Ostrich	<i>Struthio camelus</i>	1
Somali Ostrich	<i>Struthio molybdophanes</i>	1
	<b>ANSERIFORMES</b>	
<b>Ducks and Geese</b>	<b>Anatidae</b>	
White-faced Whistling Duck	<i>Dendrocygna viduata</i>	1
Egyptian Goose	<i>Alopochen aegyptiaca</i>	1
African Black Duck	<i>Anas sparsa</i>	1
Cape Teal	<i>Anas capensis</i>	1
Yellow-billed Duck	<i>Anas undulata</i>	1
Red-billed Teal	<i>Anas erythrorhyncha</i>	1
Hottentot Teal	<i>Anas hottentota</i>	1
Knob-billed Duck	<i>Sarkidiornis melanotos</i>	1
	<b>GALLIFORMES</b>	
<b>Guineafowl</b>	<b>Numididae</b>	
Crested Guineafowl	<i>Guttera pucherani</i>	1
Vulturine Guineafowl	<i>Acryllium vulturinum</i>	1
Helmeted Guineafowl	<i>Numida meleagris</i>	1

<b>Pheasants and allies</b>	<b>Phasianidae</b>	
Coqui Francolin	<i>Peliperdix coqui</i>	1
Crested Francolin	<i>Dendroperdix sephaena</i>	1
Hildebrandt's Francolin	<i>Pternistis hildebrandti</i>	1
Scaly Francolin	<i>Pternistis squamatus</i>	1
Yellow-necked Spurfowl	<i>Pternistis leucoscepus</i>	1
Red-necked Spurfowl	<i>Pternistis afer</i>	1
	<b>PODICIPEDIFORMES</b>	
<b>Grebes</b>	<b>Podicipedidae</b>	
Little Grebe	<i>Tachybaptus ruficollis</i>	1
	<b>PHOENICOPTERIFORMES</b>	
<b>Flamingos</b>	<b>Phoenicopteridae</b>	
Greater Flamingo	<i>Phoenicopterus roseus</i>	1
Lesser Flamingo	<i>Phoeniconaias minor</i>	1
	<b>CICONIIFORMES</b>	
<b>Storks</b>	<b>Ciconiidae</b>	
Woolly-necked Stork	<i>Ciconia episcopus</i>	1
Marabou Stork	<i>Leptoptilos crumenifer</i>	1
African Openbill	<i>Anastomus lamelligerus</i>	1
Yellow-billed Stork	<i>Mycteria ibis</i>	1
	<b>PELECANIFORMES</b>	
<b>Ibises and Spoonbills</b>	<b>Threskiornithidae</b>	
African Sacred Ibis	<i>Threskiornis aethiopicus</i>	1
Glossy Ibis	<i>Plegadis falcinellus</i>	1
Hadada Ibis	<i>Bostrychia hagedash</i>	1
African Spoonbill	<i>Platalea alba</i>	1
<b>Hérons, Bitterns</b>	<b>Ardeidae</b>	
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	1
Western Cattle Egret	<i>Bubulcus ibis</i>	1
Little Egret	<i>Egretta garzetta</i>	1
Black Heron	<i>Egretta ardesiaca</i>	1
Squacco Heron	<i>Ardeola ralloides</i>	1
Malagasy Pond Heron	<i>Ardeola idae</i>	1
Intermediate Egret	<i>Egretta intermedia</i>	1
Great Egret	<i>Ardea alba</i>	1
Grey Heron	<i>Ardea cinerea</i>	1
Purple Heron	<i>Ardea purpurea</i>	1
Black-headed Heron	<i>Ardea melanocephala</i>	1
<b>Hamerkop</b>	<b>Scopidae</b>	

Hamerkop	<i>Scopus umbretta</i>	1
<b>Pelicans</b>	<b>Pelecanidae</b>	
Great White Pelican	<i>Pelecanus onocrotalus</i>	1
Pink-backed Pelican	<i>Pelecanus rufescens</i>	1
	<b>SULIFORMES</b>	
<b>Cormorants, Shags</b>	<b>Phalacrocoracidae</b>	
White-breasted Cormorant	<i>Phalacrocorax lucidus</i>	1
Reed Cormorant	<i>Microcarbo africanus</i>	1
	<b>ACCIPITRIFORMES</b>	
<b>Secretarybird</b>	<b>Sagittariidae</b>	
Secretarybird	<i>Sagittarius serpentarius</i>	1
<b>Kites, Haws and Eagles</b>	<b>Accipitridae</b>	
Black-winged Kite	<i>Elanus caeruleus</i>	1
Black Kite	<i>Milvus migrans</i>	1
Hooded Vulture	<i>Necrosyrtes monachus</i>	1
White-backed Vulture	<i>Gyps africanus</i>	1
Rüppell's Vulture	<i>Gyps rueppelli</i>	1
Lappet-faced Vulture	<i>Torgos tracheliotos</i>	1
White-headed Vulture	<i>Trigonoceps occipitalis</i>	1
Black-chested Snake Eagle	<i>Circaetus pectoralis</i>	1
Brown Snake Eagle	<i>Circaetus cinereus</i>	1
Bateleur	<i>Terathopius ecaudatus</i>	1
African Harrier-Hawk	<i>Polyboroides typus</i>	1
Gabar Goshawk	<i>Micronisus gabar</i>	1
Eastern Chanting Goshawk	<i>Melierax poliopterus</i>	1
Black Sparrowhawk	<i>Accipiter melanoleucus</i>	1
Lizard Buzzard	<i>Kaupifalco monogrammicus</i>	1
Augur Buzzard	<i>Buteo augur</i>	1
African Fish Eagle	<i>Haliaeetus vocifer</i>	1
Tawny Eagle	<i>Aquila rapax</i>	1
Wahlberg's Eagle	<i>Hieraaetus wahlbergi</i>	1
African Hawk-Eagle	<i>Hieraaetus spilogaster</i>	1
Long-crested Eagle	<i>Lophaetus occipitalis</i>	1
Crowned Eagle	<i>Stephanoaetus coronatus</i>	1
Martial Eagle	<i>Polemaetus bellicosus</i>	1
	<b>OTIDIFORMES</b>	
<b>Bustards</b>	<b>Otididae</b>	
Kori Bustard	<i>Ardeotis kori</i>	1
Buff-crested Bustard	<i>Lophotis gindiana</i>	1

White-bellied Bustard	<i>Eupodotis senegalensis</i>	1
	<b>GRUIFORMES</b>	
<b>Flufftails</b>	<b>Sarothruridae</b>	
White-spotted Flufftail	<i>Sarothrura pulchra</i>	1
<b>Rails, Crakes and Coots</b>	<b>Rallidae</b>	
Black Crake	<i>Amaurornis flavirostra</i>	1
Spotted Crake	<i>Porzana porzana</i>	1
Common Moorhen	<i>Gallinula chloropus</i>	1
Lesser Moorhen	<i>Gallinula angulata</i>	1
Red-knobbed Coot	<i>Fulica cristata</i>	1
<b>Cranes</b>	<b>Gruidae</b>	
Grey Crowned Crane	<i>Balearica regulorum</i>	1
	<b>CHARADRIIFORMES</b>	
<b>Stone-curlews, Thick-knees</b>	<b>Burhinidae</b>	
Spotted Thick-knee	<i>Burhinus capensis</i>	1
Water Thick-knee	<i>Burhinus vermiculatus</i>	1
<b>Crab-plover</b>	<b>Dromadidae</b>	
Crab-plover	<i>Dromas ardeola</i>	1
<b>Stilts, Avocets</b>	<b>Recurvirostridae</b>	
Black-winged Stilt	<i>Himantopus himantopus</i>	1
Pied Avocet	<i>Recurvirostra avosetta</i>	1
<b>Plovers</b>	<b>Charadriidae</b>	
Little Ringed Plover	<i>Charadrius dubius</i>	1
Kittlitz's Plover	<i>Charadrius pecuarius</i>	1
Three-banded Plover	<i>Charadrius tricollaris</i>	1
Lesser Sand Plover	<i>Charadrius mongolus</i>	1
Greater Sand Plover	<i>Charadrius leschenaultii</i>	1
Grey Plover	<i>Pluvialis squatarola</i>	1
Blacksmith Lapwing	<i>Vanellus armatus</i>	1
Spur-winged Lapwing	<i>Vanellus spinosus</i>	1
Long-toed Lapwing	<i>Vanellus crassirostris</i>	1
Crowned Lapwing	<i>Vanellus coronatus</i>	1
African Wattled Lapwing	<i>Vanellus senegallus</i>	1
Black-headed Lapwing	<i>Vanellus tectus</i>	1
<b>Painted-snipes</b>	<b>Rostratulidae</b>	
Greater Painted-snipe	<i>Rostratula benghalensis</i>	1
<b>Jacanas</b>	<b>Jacanidae</b>	
African Jacana	<i>Actophilornis africanus</i>	1
<b>Sandpipers, Snipes</b>	<b>Scolopacidae</b>	

Little Stint	<i>Calidris minuta</i>	1
Curlew Sandpiper	<i>Calidris ferruginea</i>	1
African Snipe	<i>Gallinago nigripennis</i>	1
Eurasian Curlew	<i>Numenius arquata</i>	1
Whimbrel	<i>Numenius phaeopus</i>	1
Common Redshank	<i>Tringa totanus</i>	1
Marsh Sandpiper	<i>Tringa stagnatilis</i>	1
Green Sandpiper	<i>Tringa ochropus</i>	1
Wood Sandpiper	<i>Tringa glareola</i>	1
Common Sandpiper	<i>Actitis hypoleucos</i>	1
<b>Gulls, Terns and Skimmers</b>	<b>Laridae</b>	
Sooty Gull	<i>Ichthyaetus hemprichii</i>	1
White-eyed Gull	<i>Ichthyaetus leucophthalmus</i>	1
Lesser Black-backed Gull	<i>Larus fuscus</i>	1
Grey-headed Gull	<i>Croicocephalus cirrocephalus</i>	1
Black-headed Gull	<i>Croicocephalus ridibundus</i>	1
Gull-billed Tern	<i>Gelochelidon nilotica</i>	1
Whiskered Tern	<i>Chlidonias hybrida</i>	1
White-winged Tern	<i>Chlidonias leucopterus</i>	1
	<b>PTEROCLIFORMES</b>	
<b>Sandgrouse</b>	<b>Pteroclididae</b>	
Black-faced Sandgrouse	<i>Pterocles decoratus</i>	1
	<b>COLUMBIFORMES</b>	
<b>Pigeons, Doves</b>	<b>Columbidae</b>	
African Green Pigeon	<i>Treron calvus</i>	1
Tambourine Dove	<i>Turtur tympanistris</i>	1
Blue-spotted Wood Dove	<i>Turtur afer</i>	1
Emerald-spotted Wood Dove	<i>Turtur chalcospilos</i>	1
Namaqua Dove	<i>Oena capensis</i>	1
Speckled Pigeon	<i>Columba guinea</i>	1
Rock Dove	<i>Columba livia</i>	1
Red-eyed Dove	<i>Streptopelia semitorquata</i>	1
Mourning Collared Dove	<i>Streptopelia decipiens</i>	1
Ring-necked Dove	<i>Streptopelia capicola</i>	1
Laughing Dove	<i>Spilopelia senegalensis</i>	1
African Green Pigeon	<i>Treron calvus</i>	1
	<b>MUSOPHAGIFORMES</b>	
<b>Turacos</b>	<b>Musophagidae</b>	
Great Blue Turaco	<i>Corythaeola cristata</i>	1

Ross's Turaco	<i>Musophaga rossae</i>	1
Black-billed Turaco	<i>Tauraco schuetti</i>	1
Fischer's Turaco	<i>Tauraco fischeri</i>	1
Hartlaub's Turaco	<i>Tauraco hartlaubi</i>	1
Bare-faced Go-away-bird	<i>Corythaixoides personatus</i>	1
White-bellied Go-away-bird	<i>Corythaixoides leucogaster</i>	1
	<b>CUCULIFORMES</b>	
<b>Cuckoos</b>	<b>Cuculidae</b>	
Black Cuckoo	<i>Cuculus clamosus</i>	1
Red-chested Cuckoo	<i>Cuculus solitarius</i>	1
African Emerald Cuckoo	<i>Chrysococcyx cupreus</i>	1
Klaas's Cuckoo	<i>Chrysococcyx klaas</i>	1
Diederik Cuckoo	<i>Chrysococcyx caprius</i>	1
Blue Malkoha	<i>Ceuthmochares aereus</i>	1
Blue-headed Coucal	<i>Centropus monachus</i>	1
White-browed Coucal	<i>Centropus superciliosus</i>	1
	<b>STRIGIFORMES</b>	
<b>Owls</b>	<b>Strigidae</b>	
Sokoke Scops Owl	<i>Otus ireneae</i>	1
Spotted Eagle-Owl	<i>Bubo africanus</i>	1
Verreaux's Eagle-Owl	<i>Bubo lacteus</i>	1
Pel's Fishing Owl	<i>Scotopelia peli</i>	1
Pearl-spotted Owlet	<i>Glaucidium perlatum</i>	1
African Wood Owl	<i>Strix woodfordii</i>	1
	<b>CAPRIMULGIFORMES</b>	
<b>Nightjars</b>	<b>Caprimulgidae</b>	
Montane Nightjar	<i>Caprimulgus poliocephalus</i>	1
	<b>APODIFORMES</b>	
<b>Swifts</b>	<b>Apodidae</b>	
Mottled Spinetail	<i>Telacanthura ussheri</i>	1
African Palm Swift	<i>Cypsiurus parvus</i>	1
Nyanza Swift	<i>Apus niansae</i>	1
Mottled Swift	<i>Tachymarptis aequatorialis</i>	1
Little Swift	<i>Apus affinis</i>	1
	<b>COLIIFORMES</b>	
<b>Mousebirds</b>	<b>Coliidae</b>	
Speckled Mousebird	<i>Colius striatus</i>	1
White-headed Mousebird	<i>Colius leucocephalus</i>	1
Blue-naped Mousebird	<i>Urocolius macrourus</i>	1

	<b>TROGONIFORMES</b>	
<b>Trogons</b>	<b>Trogonidae</b>	
Narina Trogon	<i>Apaloderma narina</i>	1
	<b>CORACIIFORMES</b>	
<b>Rollers</b>	<b>Coraciidae</b>	
Lilac-breasted Roller	<i>Coracias caudatus</i>	1
Purple Roller	<i>Coracias naevius</i>	1
<b>Kingfishers</b>	<b>Alcedinidae</b>	
Grey-headed Kingfisher	<i>Halcyon leucocephala</i>	1
Striped Kingfisher	<i>Halcyon chelicuti</i>	1
Malachite Kingfisher	<i>Corythornis cristatus</i>	1
African Pygmy Kingfisher	<i>Ispidina picta</i>	1
Woodland Kingfisher	<i>Halcyon senegalensis</i>	1
Giant Kingfisher	<i>Megaceryle maxima</i>	1
Pied Kingfisher	<i>Ceryle rudis</i>	1
<b>Bee-eaters</b>	<b>Meropidae</b>	
Northern Carmine Bee-eater	<i>Merops nubicus</i>	1
Blue-headed Bee-eater	<i>Merops muelleri</i>	1
White-fronted Bee-eater	<i>Merops bullockoides</i>	1
Little Bee-eater	<i>Merops pusillus</i>	1
Cinnamon-chested Bee-eater	<i>Merops oreobates</i>	1
Somali Bee-eater	<i>Merops revoilii</i>	1
	<b>BUCEROTIFORMES</b>	
<b>Hoopoes</b>	<b>Upupidae</b>	
Eurasian Hoopoe	<i>Upupa epops</i>	1
<b>Wood Hoopoes</b>	<b>Phoeniculidae</b>	
Green Wood Hoopoe	<i>Phoeniculus purpureus</i>	1
Abyssinian Scimitarbill	<i>Rhinopomastus minor</i>	1
White-headed Wood Hoopoe	<i>Phoeniculus bollei</i>	1
<b>Hornbills</b>	<b>Bucerotidae</b>	
Northern Red-billed Hornbill	<i>Tockus erythrorhynchus</i>	1
Eastern Yellow-billed Hornbill	<i>Tockus flavirostris</i>	1
Von der Decken's Hornbill	<i>Tockus deckeni</i>	1
Hemprich's Hornbill	<i>Lophoceros hemprichii</i>	1
Crowned Hornbill	<i>Lophoceros alboterminatus</i>	1
African Grey Hornbill	<i>Lophoceros nasutus</i>	1
Trumpeter Hornbill	<i>Bycanistes bucinator</i>	1
Silvery-cheeked Hornbill	<i>Bycanistes brevis</i>	1
Black-and-white-casqued Hornbill	<i>Bycanistes subcylindricus</i>	1

	<b>PICIFORMES</b>	
<b>African Barbets</b>	<b>Lybiidae</b>	
Grey-throated Barbet	<i>Gymnobucco bonapartei</i>	1
Green Tinkerbird	<i>Pogoniulus simplex</i>	1
Moustached Tinkerbird	<i>Pogoniulus leucomystax</i>	1
Yellow-rumped Tinkerbird	<i>Pogoniulus bilineatus</i>	1
Red-fronted Tinkerbird	<i>Pogoniulus pusillus</i>	1
Yellow-spotted Barbet	<i>Buccanodon duchailloi</i>	1
Green Barbet	<i>Stactolaema olivacea</i>	1
Hairy-breasted Barbet	<i>Tricholaema hirsuta</i>	1
Spot-flanked Barbet	<i>Tricholaema lacrymosa</i>	1
White-headed Barbet	<i>Lybius leucocephalus</i>	1
Double-toothed Barbet	<i>Lybius bidentatus</i>	1
Red-and-yellow Barbet	<i>Trachyphonus erythrocephalus</i>	1
D'Arnaud's Barbet	<i>Trachyphonus darnaudii</i>	1
Yellow-billed Barbet	<i>Trachyphonus purpuratus</i>	1
<b>Honeyguides</b>	<b>Indicatoridae</b>	
Scaly-throated Honeyguide	<i>Indicator variegatus</i>	1
Greater Honeyguide	<i>Indicator indicator</i>	1
Thick-billed Honeyguide	<i>Indicator conirostris</i>	1
Least Honeyguide	<i>Indicator exilis</i>	1
Pallid Honeyguide	<i>Indicator meliphilus</i>	1
Green-backed Honeybird	<i>Prodotiscus zambesiae</i>	1
<b>Woodpeckers</b>	<b>Picidae</b>	
Bearded Woodpecker	<i>Dendropicos namaquus</i>	1
Nubian Woodpecker	<i>Campethera nubica</i>	1
Mombasa Woodpecker	<i>Campethera mombassica</i>	1
Tullberg's Woodpecker	<i>Campethera tullbergi</i>	1
Brown-eared Woodpecker	<i>Campethera caroli</i>	1
Cardinal Woodpecker	<i>Dendropicos fuscescens</i>	1
African Grey Woodpecker	<i>Dendropicos goertae</i>	1
	<b>FALCONIFORMES</b>	
<b>Caracaras, Falcons</b>	<b>Falconidae</b>	
Pygmy Falcon	<i>Polihierax semitorquatus</i>	1
Lanner Falcon	<i>Falco biarmicus</i>	1
Peregrine Falcon	<i>Falco peregrinus</i>	1
Red-footed Falcon	<i>Falco vespertinus</i>	1
	<b>PSITTACIFORMES</b>	
<b>Parrots</b>	<b>Psittacidae</b>	



Fischer's Lovebird	<i>Agapornis fischeri</i>	1
Meyer's Parrot	<i>Poicephalus meyeri</i>	1
Red-bellied Parrot	<i>Poicephalus rufiventris</i>	1
	<b>PASSERIFORMES</b>	
<b>Wattle-eyes, Batises</b>	<b>Platysteiridae</b>	
Forest Batis	<i>Batis mixta</i>	1
Chinspot Batis	<i>Batis molitor</i>	1
Pale Batis	<i>Batis soror</i>	1
Brown-throated Wattle-eye	<i>Platysteira cyanea</i>	1
Jameson's Wattle-eye	<i>Platysteira jamesoni</i>	1
<b>Helmetshrikes</b>	<b>Prionopidae</b>	
White-crested Helmetshrike	<i>Prionops plumatus</i>	1
Grey-crested Helmetshrike	<i>Prionops poliophus</i>	1
Retz's Helmetshrike	<i>Prionops retzii</i>	1
Chestnut-fronted Helmetshrike	<i>Prionops scopifrons</i>	1
<b>Bushshrikes</b>	<b>Malaconotidae</b>	
Brubru	<i>Nilaus afer</i>	1
Brown-crowned Tchagra	<i>Tchagra australis</i>	1
Three-streaked Tchagra	<i>Tchagra jamesi</i>	1
Bocage's Bushshrike	<i>Chlorophoneus bocagei</i>	1
Orange-breasted Bushshrike	<i>Malaconotus sulfureopectus</i>	1
Four-colored Bushshrike	<i>Telophorus quadricolor</i>	1
Grey-headed Bushshrike	<i>Malaconotus blanchoti</i>	1
Rosy-patched Bushshrike	<i>Telophorus cruentus</i>	1
Lühder's Bushshrike	<i>Laniarius luehderi</i>	1
Tropical Boubou	<i>Laniarius major</i>	1
Black-headed Gonolek	<i>Laniarius erythrogaster</i>	1
Slate-coloured Boubou	<i>Laniarius funebris</i>	1
Black-backed Puffback	<i>Dryoscopus cubla</i>	1
Pink-footed Puffback	<i>Dryoscopus angolensis</i>	1
<b>Cuckooshrikes</b>	<b>Campephagidae</b>	
Black Cuckoo-shrike	<i>Campephaga flava</i>	1
Petit's Cuckoo-shrike	<i>Campephaga petiti</i>	1
<b>Shrikes</b>	<b>Laniidae</b>	
Northern White-crowned Shrike	<i>Eurocephalus rueppelli</i>	1
Mackinnon's Shrike	<i>Lanius mackinnoni</i>	1
Magpie Shrike	<i>Urolestes melanoleucus</i>	1
Grey-backed Fiscal	<i>Lanius excubitoroides</i>	1
Long-tailed Fiscal	<i>Lanius cabanisi</i>	1

Taita Fiscal	<i>Lanius dorsalis</i>	1
Northern Fiscal	<i>Lanius humeralis</i>	1
<b>Figbirds, Orioles</b>	<b>Oriolidae</b>	
African Golden Oriole	<i>Oriolus auratus</i>	1
Black-headed Oriole	<i>Oriolus larvatus</i>	1
Mountain Oriole	<i>Oriolus percivali</i>	1
Green-headed Oriole	<i>Oriolus chlorocephalus</i>	1
Western Oriole	<i>Oriolus brachyrhynchus</i>	1
<b>Drongos</b>	<b>Dicruridae</b>	
Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	1
Square-tailed Drongo	<i>Dicrurus ludwigii</i>	1
<b>Monarchs</b>	<b>Monarchidae</b>	
African Paradise Flycatcher	<i>Terpsiphone viridis</i>	1
<b>Crows, Jays</b>	<b>Corvidae</b>	
House Crow	<i>Corvus splendens</i>	1
Pied Crow	<i>Corvus albus</i>	1
Cape Crow	<i>Corvus capensis</i>	1
<b>Fairy Flycatchers</b>	<b>Stenostiridae</b>	
African Blue Flycatcher	<i>Elminia longicauda</i>	1
Dusky Crested Flycatcher	<i>Elminia nigromitrata</i>	1
<b>Tits, Chickadees</b>	<b>Paridae</b>	
Dusky Tit	<i>Melaniparus funereus</i>	1
White-bellied Tit	<i>Melaniparus albiventris</i>	1
<b>Penduline Tits</b>	<b>Remizidae</b>	
Mouse-coloured Penduline Tit	<i>Anthoscopus musculus</i>	1
<b>Larks</b>	<b>Alaudidae</b>	
Rufous-naped Lark	<i>Mirafra africana</i>	1
Red-winged Lark	<i>Mirafra hypermetra</i>	1
Pink-breasted Lark	<i>Calendulauda poecilosterna</i>	1
Fischer's Sparrow-Lark	<i>Eremopterix leucopareia</i>	1
<b>Bulbuls</b>	<b>Pycnonotidae</b>	
Slender-billed Greenbul	<i>Stelgidillas gracilirostris</i>	1
Shelley's Greenbul	<i>Arizelocichla masukuensis</i>	1
Mountain Greenbul	<i>Arizelocichla nigriceps</i>	1
Stripe-faced Greenbul	<i>Andropadus striifacies</i>	1
Cabanis's Greenbul	<i>Phyllastrephus cabanisi</i>	1
Northern Brownbul	<i>Phyllastrephus strepitans</i>	1
Joyful Greenbul	<i>Chlorocichla laetissima</i>	1
Yellow-whiskered Greenbul	<i>Eurillas latirostris</i>	1

Yellow-throated Leaflove	<i>Atimastillas flavicollis</i>	1
Common Bulbul	<i>Pycnonotus barbatus</i>	1
Red-tailed Bristlebill	<i>Bleda syndactylus</i>	1
<b>Swallows, Martins</b>	<b>Hirundinidae</b>	
Brown-throated Martin	<i>Riparia paludicola</i>	1
Wire-tailed Swallow	<i>Hirundo smithii</i>	1
Red-rumped Swallow	<i>Cecropis daurica</i>	1
Mosque Swallow	<i>Cecropis senegalensis</i>	1
Lesser Striped Swallow	<i>Cecropis abyssinica</i>	1
Rock Martin	<i>Ptyonoprogne fuligula</i>	1
White-headed Saw-wing	<i>Psalidoprocne albiceps</i>	1
Black Saw-wing	<i>Psalidoprocne pristoptera</i>	1
<b>Crombecs, African Warblers</b>	<b>Macrosphenidae</b>	
Northern Crombec	<i>Sylvietta brachyura</i>	1
Red-faced Crombec	<i>Sylvietta whytii</i>	1
White-browed Crombec	<i>Sylvietta leucophrys</i>	1
<b>Leaf Warblers and allies</b>	<b>Phylloscopidae</b>	
Uganda Woodland Warbler	<i>Phylloscopus budongoensis</i>	1
Brown Woodland Warbler	<i>Phylloscopus umbrovirens</i>	1
<b>Family Uncertain</b>	<b>Incertae Sedis 1</b>	
Green Hylia	<i>Hylia prasina</i>	1
<b>Reed Warblers and allies</b>	<b>Acrocephalidae</b>	
African Reed Warbler	<i>Acrocephalus baeticatus</i>	1
Lesser Swamp Warbler	<i>Acrocephalus gracilirostris</i>	1
<b>Cisticolas and allies</b>	<b>Cisticolidae</b>	
Singing Cisticola	<i>Cisticola cantans</i>	1
Red-faced Cisticola	<i>Cisticola erythrops</i>	1
Hunter's Cisticola	<i>Cisticola hunteri</i>	1
Chubb's Cisticola	<i>Cisticola chubbi</i>	1
Winding Cisticola	<i>Cisticola marginatus</i>	1
Carruthers's Cisticola	<i>Cisticola carruthersi</i>	1
Rattling Cisticola	<i>Cisticola chiniana</i>	1
Tawny-flanked Prinia	<i>Prinia subflava</i>	1
Pale Prinia	<i>Prinia somalica</i>	1
Banded Prinia	<i>Prinia bairdii</i>	1
White-chinned Prinia	<i>Schistolais leucopogon</i>	1
Grey Wren-Warbler	<i>Calamonastes simplex</i>	1
Grey-backed Camaroptera	<i>Camaroptera brevicaudata</i>	1
Olive-green Camaroptera	<i>Camaroptera chloronota</i>	1

Yellow-breasted Apalis	<i>Apalis flavida</i>	1
Chestnut-throated Apalis	<i>Apalis porphyrolaema</i>	1
Bar-throated Apalis	<i>Apalis thoracica</i>	1
Taita Apalis	<i>Apalis fuscigularis</i>	1
Grey-capped Warbler	<i>Eminia lepida</i>	1
Yellow-bellied Eremomela	<i>Eremomela icteropygialis</i>	1
Yellow-vented Eremomela	<i>Eremomela flavicrissalis</i>	1
Turner's Eremomela	<i>Eremomela turneri</i>	1
Black-faced Rufous Warbler	<i>Bathmocercus rufus</i>	1
White-starred Robin	<i>Pogonocichla stellata</i>	1
Equatorial Akalat	<i>Sheppardia aequatorialis</i>	1
East Coast Akalat	<i>Sheppardia gunningi</i>	1
<b>Fulvettas, Ground Babblers</b>	<b>Pellorneidae</b>	
Pale-breasted Illadopsis	<i>Illadopsis rufipennis</i>	1
<b>Laughingthrushes</b>	<b>Leiothrichidae</b>	
Rufous Chatterer	<i>Turdoides rubiginosa</i>	1
Black-lored Babbler	<i>Turdoides sharpei</i>	1
Arrow-marked Babbler	<i>Turdoides jardineii</i>	1
Scaly Babbler	<i>Turdoides squamulata</i>	1
<b>Sylviid Babblers</b>	<b>Sylviidae</b>	
Brown Parisoma	<i>Sylvia lugens</i>	1
Banded Parisoma	<i>Sylvia boehmi</i>	1
African Hill Babbler	<i>Pseudoalcippe abyssinica</i>	1
<b>White-eyes</b>	<b>Zosteropidae</b>	
Abyssinian White-eye	<i>Zosterops abyssinicus</i>	1
Montane White-eye	<i>Zosterops poliogastrus</i>	1
Taita White-eye	<i>Zosterops silvanus</i>	1
African Yellow White-eye	<i>Zosterops senegalensis</i>	1
<b>Starlings, Rhabdornis</b>	<b>Sturnidae</b>	
Stuhlmann's Starling	<i>Poeoptera stuhlmanni</i>	1
Black-bellied Starling	<i>Notopholia corrusca</i>	1
Splendid Starling	<i>Lamprotornis splendidus</i>	1
Purple Starling	<i>Lamprotornis purpureus</i>	1
Greater Blue-eared Starling	<i>Lamprotornis chalybaeus</i>	1
Rüppell's Starling	<i>Lamprotornis purpuroptera</i>	1
Hildebrandt's Starling	<i>Lamprotornis hildebrandti</i>	1
Superb Starling	<i>Lamprotornis superbus</i>	1
Golden-breasted Starling	<i>Lamprotornis regius</i>	1
Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>	1

Fischer's Starling	<i>Lamprotornis fischeri</i>	1
Wattled Starling	<i>Creatophora cinerea</i>	1
<b>Oxpeckers</b>	<b>Buphagidae</b>	
Red-billed Oxpecker	<i>Buphagus erythrorhynchus</i>	1
Yellow-billed Oxpecker	<i>Buphagus africanus</i>	1
<b>Thrushes</b>	<b>Turdidae</b>	
Red-tailed Ant Thrush	<i>Neocossyphus rufus</i>	1
White-tailed Ant Thrush	<i>Neocossyphus poensis</i>	1
African Thrush	<i>Turdus pelios</i>	1
Bare-eyed Thrush	<i>Turdus tephronotus</i>	1
Taita Thrush	<i>Turdus helleri</i>	1
Abyssinian Thrush	<i>Turdus abyssinicus</i>	1
<b>Chats, Old World Flycatchers</b>	<b>Muscicapidae</b>	
Grey-winged Robin-Chat	<i>Cossypha polioptera</i>	1
Rüppell's Robin-Chat	<i>Cossypha semirufa</i>	1
Cape Robin-Chat	<i>Cossypha caffra</i>	1
White-browed Robin-Chat	<i>Cossypha heuglini</i>	1
Blue-shouldered Robin-Chat	<i>Cossypha cyanocampter</i>	1
Red-capped Robin-Chat	<i>Cossypha natalensis</i>	1
Snowy-crowned Robin-Chat	<i>Cossypha niveicapilla</i>	1
Brown-chested Alethe	<i>Pseudalethe poliocephala</i>	1
Spotted Palm Thrush	<i>Cichladusa guttata</i>	1
White-browed Scrub Robin	<i>Cercotrichas leucophrys</i>	1
African Stonechat	<i>Saxicola torquata</i>	1
Pied Wheatear	<i>Oenanthe pleschanka</i>	1
Mocking Cliff Chat	<i>Thamnolaea cinnamomeiventris</i>	1
Anteater Chat	<i>Myrmecocichla aethiops</i>	1
Sooty Chat	<i>Myrmecocichla nigra</i>	1
Little Rock Thrush	<i>Monticola rufocinereus</i>	1
African Dusky Flycatcher	<i>Muscicapa adusta</i>	1
Chapin's Flycatcher	<i>Muscicapa lendu</i>	1
Swamp Flycatcher	<i>Muscicapa aquatica</i>	1
White-eyed Slaty Flycatcher	<i>Melaenornis fischeri</i>	1
Southern Black Flycatcher	<i>Melaenornis pammelaina</i>	1
African Grey Flycatcher	<i>Melaenornis microrhynchus</i>	1
Silverbird	<i>Empidonis semipartitus</i>	1
<b>Sunbirds</b>	<b>Nectariniidae</b>	
Eastern Violet-backed Sunbird	<i>Anthreptes orientalis</i>	1
Amani Sunbird	<i>Hedydipna pallidigaster</i>	1

Collared Sunbird	<i>Hedydipna collaris</i>	1
Plain-backed Sunbird	<i>Anthreptes reichenowi</i>	1
Olive Sunbird	<i>Cyanomitra olivacea</i>	1
Red-chested Sunbird	<i>Cinnyris erythrocerus</i>	1
Amethyst Sunbird	<i>Chalcomitra amethystina</i>	1
Scarlet-chested Sunbird	<i>Chalcomitra senegalensis</i>	1
Hunter's Sunbird	<i>Chalcomitra hunteri</i>	1
Variable Sunbird	<i>Cinnyris venustus</i>	1
Northern Double-collared Sunbird	<i>Cinnyris reichenowi</i>	1
Eastern Double-collared Sunbird	<i>Cinnyris mediocris</i>	1
Marico Sunbird	<i>Cinnyris mariquensis</i>	1
Purple-banded Sunbird	<i>Cinnyris bifasciatus</i>	1
Tsavo Sunbird	<i>Cinnyris tsavoensis</i>	1
Black-bellied Sunbird	<i>Cinnyris nectarinioides</i>	1
Beautiful Sunbird	<i>Cinnyris pulchellus</i>	1
Tacazze Sunbird	<i>Nectarinia tacazze</i>	1
Bronzy Sunbird	<i>Nectarinia kilimensis</i>	1
Golden-winged Sunbird	<i>Drepanorhynchus reichenowi</i>	1
Orange-tufted Sunbird	<i>Cinnyris bouvieri</i>	1
Scarlet-tufted Sunbird	<i>Nectarinia johnstoni</i>	1
<b>Old World Sparrows</b>	<b>Passeridae</b>	
House Sparrow	<i>Passer domesticus</i>	1
Kenya Sparrow	<i>Passer rufocinctus</i>	1
Somali Sparrow	<i>Passer castanopterus</i>	1
Northern Grey-headed Sparrow	<i>Passer griseus</i>	1
Yellow-spotted Petronia	<i>Gymnoris pyrgita</i>	1
Donaldson-Smith's Sparrow-Weaver	<i>Plocepasser donaldsoni</i>	1
White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>	1
Grey-capped Social Weaver	<i>Pseudonigrita arnaudi</i>	1
Black-capped Social Weaver	<i>Pseudonigrita cabanisi</i>	1
<b>Weavers, Widowbirds</b>	<b>Ploceidae</b>	
White-headed Buffalo Weaver	<i>Dinemellia dinemelli</i>	1
Red-billed Buffalo Weaver	<i>Bubalornis niger</i>	1
White-billed Buffalo-Weaver	<i>Bubalornis albirostris</i>	1
Speckle-fronted Weaver	<i>Sporopipes frontalis</i>	1
Thick-billed Weaver	<i>Amblyospiza albifrons</i>	1
Baglafaecht Weaver	<i>Ploceus baglafaecht</i>	1
Slender-billed Weaver	<i>Ploceus pelzelni</i>	1
Little Weaver	<i>Ploceus luteolus</i>	1

Black-necked Weaver	<i>Ploceus nigricollis</i>	1
Spectacled Weaver	<i>Ploceus ocularis</i>	1
Eastern Golden Weaver	<i>Ploceus subaureus</i>	1
Holub's Golden Weaver	<i>Ploceus xanthops</i>	1
Golden Palm Weaver	<i>Ploceus bojeri</i>	1
Black-headed Weaver	<i>Ploceus melanocephalus</i>	1
Golden-backed Weaver	<i>Ploceus jacksoni</i>	1
Vitelline Masked Weaver	<i>Ploceus vitellinus</i>	1
Lesser Masked Weaver	<i>Ploceus intermedius</i>	1
Speke's Weaver	<i>Ploceus spekei</i>	1
Village Weaver	<i>Ploceus cucullatus</i>	1
Clarke's Weaver	<i>Ploceus golandi</i>	1
Dark-backed Weaver	<i>Ploceus bicolor</i>	1
Brown-capped Weaver	<i>Ploceus insignis</i>	1
Orange Weaver	<i>Ploceus aurantius</i>	1
Red-headed Malimbe	<i>Malimbus rubricollis</i>	1
Red-headed Weaver	<i>Anaplectes rubriceps</i>	1
Zanzibar Red Bishop	<i>Euplectes nigroventris</i>	1
Jackson's Widowbird	<i>Euplectes jacksoni</i>	1
<b>Waxbills, Munias and allies</b>	<b>Estrildidae</b>	
Grey-headed Nigrita	<i>Nigrita canicapillus</i>	1
Red-headed Bluebill	<i>Spermophaga ruficapilla</i>	1
Red-billed Firefinch	<i>Lagonosticta senegala</i>	1
African Firefinch	<i>Lagonosticta rubricata</i>	1
Jameson's Firefinch	<i>Lagonosticta rhodopareia</i>	1
Common Waxbill	<i>Estrilda astrild</i>	1
Red-cheeked Cordon-bleu	<i>Uraeginthus bengalus</i>	1
Purple Grenadier	<i>Uraeginthus ianthinogaster</i>	1
Grey-headed Silverbill	<i>Odontospiza caniceps</i>	1
Bronze Mannikin	<i>Lonchura cucullata</i>	1
Black-and-white Mannikin	<i>Lonchura bicolor</i>	1
Magpie Mannikin	<i>Lonchura fringilloides</i>	1
Cut-throat Finch	<i>Amadina fasciata</i>	1
<b>Indigobirds, Whydahs</b>	<b>Viduidae</b>	
Village Indigobird	<i>Vidua chalybeata</i>	1
Pin-tailed Whydah	<i>Vidua macroura</i>	1
Straw-tailed Whydah	<i>Vidua fischeri</i>	1
Long-tailed Paradise Whydah	<i>Vidua paradisaea</i>	1
<b>Wagtails, Pipits</b>	<b>Motacillidae</b>	

African Pied Wagtail	<i>Motacilla aguimp</i>	1
Golden Pipit	<i>Tmetothylacus tenellus</i>	1
Striped Pipit	<i>Anthus lineiventris</i>	1
Malindi Pipit	<i>Anthus melindae</i>	1
African Pipit	<i>Anthus cinnamomeus</i>	1
Sharpe's Longclaw	<i>Macronyx sharpei</i>	1
Pangani Longclaw	<i>Macronyx aurantiigula</i>	1
Yellow-throated Longclaw	<i>Macronyx croceus</i>	1
<b>Finches</b>	<b>Fringillidae</b>	
African Citril	<i>Crithagra citrinelloides</i>	1
Yellow-fronted Canary	<i>Crithagra mozambica</i>	1
White-bellied Canary	<i>Crithagra dorsostriata</i>	1
Brimstone Canary	<i>Crithagra sulphurata</i>	1
Streaky Seedeater	<i>Crithagra striolata</i>	1
Reichenow's Seedeater	<i>Crithagra reichenowi</i>	1
<b>TOTAL</b>		<b>472</b>

<b>KENYA 2014 MAMMAL LIST</b>		
<b>Common Name (IUCN)</b>	<b>Scientific Name (IUCN)</b>	<b>Trip</b>
	<b>MACROSCELIDEA</b>	
	<b>Macroscelididae</b>	
Golden-rumped Sengi	<i>Rhynchocyon chrysopygus</i>	1
	<b>RODENTIA</b>	
	<b>Sciuridae</b>	
Unstriped ground squirrel	<i>Xerus rutilus</i>	1
	<b>PRIMATES</b>	
	<b>Galagidae</b>	
Northern lesser galago	<i>Galago senegalensis</i>	1
	<b>Cercopithecidae</b>	
Yellow baboon	<i>Papio cynocephalus</i>	1
Olive baboon	<i>Papio anubis</i>	1
Blue monkey	<i>Cercopithecus mitis</i>	1
Red-tailed monkey	<i>Cercopithecus ascanius</i>	1
Vervet	<i>Chlorocebus pygerythrus</i>	1
Guereza	<i>Colobus guereza</i>	1
	<b>CARNIVORA</b>	
	<b>Canidae</b>	



Black-backed jackal	<i>Canis mesomelas</i>	1
	<b>Felidae</b>	
Lion	<i>Panthera leo</i>	1
Leopard	<i>Panthera pardus</i>	1
Cheetah	<i>Acinonyx jubatus</i>	1
	<b>Herpestidae</b>	
Banded mongoose	<i>Mungos mungo</i>	1
Common dwarf mongoose	<i>Helogale parvula</i>	1
Slender mongoose	<i>Herpestes sanguineus</i>	1
	<b>Hyaenidae</b>	
Spotted hyena	<i>Crocuta crocuta</i>	1
	<b>PERISSODACTYLA</b>	
	<b>Equidae</b>	
Grevy's zebra	<i>Equus grevyi</i>	1
Plains zebra	<i>Equus quagga</i>	1
	<b>Rhinocerotidae</b>	
Black rhinoceros	<i>Diceros bicornis</i>	1
White rhinoceros	<i>Ceratotherium simum</i>	1
	<b>PROBOSCIDEA</b>	
	<b>Elephantidae</b>	
African elephant	<i>Loxodonta africana</i>	1
	<b>ARTIODACTYLA</b>	
	<b>Hippopotamidae</b>	
Hippopotamus	<i>Hippopotamus amphibius</i>	1
	<b>Suidae</b>	
Common warthog	<i>Phacochoerus africanus</i>	1
	<b>Giraffidae</b>	
Reticulated giraffe	<i>Giraffa camelopardalis reticulata</i>	1
Rothschild's giraffe	<i>Giraffa camelopardalis rothschildi</i>	1
Masai giraffe	<i>Giraffa camelopardalis tippelskirchi</i>	1
	<b>Bovidae</b>	
Common eland	<i>Tragelaphus oryx</i>	1
Greater kudu	<i>Tragelaphus strepsiceros</i>	1
Lesser kudu	<i>Tragelaphus imberbis</i>	1
Beisa oryx	<i>Oryx beisa</i>	1
Common waterbuck	<i>Kobus ellipsiprymnus ellipsiprymnus</i>	1
Defassa waterbuck	<i>Kobus ellipsiprymnus defassa</i>	1
Bohor reedbuck	<i>Redunca redunca</i>	1

Coke's hartebeest	<i>Alcelaphus buselaphus cokii</i>	1
Topi	<i>Damaliscus lunatus</i>	1
Western white-bearded wildebeest	<i>Connochaetes taurinus mearnsi</i>	1
Gerenuk	<i>Litocranius walleri</i>	1
Grant's gazelle	<i>Gazella granti</i>	1
Impala	<i>Aepyceros melampus</i>	1
Thomson's gazelle	<i>Eudorcas thomsonii</i>	1
Kirk's dik-dik	<i>Madoqua kirkii</i>	1
Guenther's dik-dik	<i>Madoqua guentheri</i>	1
Klipspringer	<i>Oreotragus oreotragus</i>	1
African buffalo	<i>Syncerus caffer</i>	1
<b>TOTAL</b>		<b>45</b>