



**BIRDING THAILAND: THE BEST OF CENTRAL THAILAND
CUSTOM TRIP REPORT**

23 - 28 JANUARY 2025

By Chris Lotz



Spoon-billed Sandpiper, the most important target bird of this trip!

Overview

This was a very quick custom tour of central Thailand aimed at finding some of the world's rarest shorebirds, **Pied Harrier**, and some beautiful pittas and broadbills. It was a condensed version of our usual Central Thailand birding tour. The trip was hugely successful, with great views of **Spoon-billed Sandpiper**, **Nordmann's Greenshank**, **Asian Dowitcher**, **White-faced Plover**, **Chinese Egret**, **White-fronted Scops Owl**, **Blue Pitta**, **Long-tailed Broadbill**, **Silver-breasted Broadbill**, **Pied Harrier** (albeit not any adult male harriers) and many other star birds. The huge bonus bird for this trip was a twitchable **Silver Oriole**. On this very short trip, we saw 208 bird species and eight mammal species, so there was a lot more enjoyed than just our main targets.



Blue Pitta at a blind (hide) set up for this species

Detailed Report

Day 1, 24th January 2025. Rare shorebirds

After a superb Thai dinner the evening before, Tim and I were ready to hit the ground running. We headed from Bangkok to the Khok Kham salt pans, where the most important target of the trip, **Spoon-billed Sandpiper**, put on an awesome show after some thorough searching. We eventually found one hiding in a ditch, but being patient and persistent was worthwhile as we managed to get great close-up views of a very active bird chasing and being chased by a **Red-necked Stint** and foraging nicely, so we could see how it used its bill.

The myriad other shorebirds were a delight to see, and included uncountable numbers of **Black-winged Stilts**, **Tibetan Sand Plovers**, **Black-tailed Godwits**, **Marsh Sandpipers**, **Broad-billed Sandpipers**, and **Curlew Sandpipers**. There were smaller numbers of **Common Greenshanks**, **Common Redshanks**, **Spotted Redshanks**, **Great Knots**, and **Red Knots**. A couple of **Painted Storks**, many **Little Terns**, and some **Whiskered Terns** also graced the area. Perpetually calling **Asian Koels** made the experience more atmospheric.

After an excellent morning of shore-birding, we had lunch, but were rudely interrupted by some good birds! These included **Yellow Bittern**, **Red-wattled Lapwing**, **Black-naped Oriole**, and **Ashy Woodswallow**.

Our first birding of the afternoon was at the Pak Thale salt pans. During our first session here, we were delighted to find our first handful of **Asian Dowitchers** for the trip. We also added a couple of new shorebird species to our growing list, namely **Ruff** and **Temminck's Stint**, among astounding numbers of other waders. A **Richard's Pipit** was also present.

We then decided to take a wonderful boat trip through mangroves and eventually out to the Laem Phak Bia sandspit. A **Large Hawk-Cuckoo** flying across the river was one of the best surprises. We boated past more than 20 **Collared Kingfishers** and a gorgeous **Black-capped Kingfisher**. As we headed beyond the mangroves, so new shorebirds for the trip started appearing, and we enjoyed seeing **Terek Sandpiper**, **Ruddy Turnstone**, **Sanderling**, **Bar-tailed Godwit**, **Eurasian Whimbrel**, **Grey Plover**, and **Common Sandpiper** (as well as a few others we'd already seen previously). We eventually alighted from the boat and walked around the sandspit for a while. Here, we were very happy to get acquainted with **Kentish Plover**, **Malaysian Plover**, and **White-faced Plover**.



Typical scenery around the salt pans in central Thailand.

Day 2, 25th January 2025. Amazing shorebirds in the morning, and superb forest birds in the afternoon

What a spectacular day! We started the birding at the Pak Thale salt pans again, accumulating 44 bird species in an hour and twenty minutes of birding. There were a couple of hundred **Lesser Whistling Ducks**, a couple of **Red Collared Doves**, our first **Wood Sandpiper** and **Long-toed Stint**, further **Asian Dowitchers**, and last but not least our first 15 **Nordmann's Greenshanks**, indeed our main target for the morning. There were four tern species and numerous **Brown-headed Gulls** around. **Oriental Reed Warbler**, **Dusky Warbler**, **Streak-eared Bulbul**, striking **Siamese Pied Mynas** among the far more abundant **Great Mynas**, **Chestnut Munia** and many other birds, also put in appearances.

The main target bird we were still missing before we headed away from the coast and into the forests, was **Chinese Egret**, and after some patience and hard work we eventually found a close-up one in breeding plumage at the “curlew ponds” area of the Pak Thale salt pans. It did take quite a lot of picking through the various other egret species, before we found this, but were rewarded with superlative views.

We then headed for lunch in the famous Kaeng Krachan National Park. Before, during, and after our delicious lunch, we found some great birds. These included **Black-hooded** and **Black-naped Orioles**, a spectacular **Greater Racket-tailed Drongo** right in front of us (along with two other drongo species), **Racket-tailed Treepie**, three bulbul species, various warblers and babblers, **Asian Brown Flycatcher**, **White-rumped Shama**, **Blue Whistling Thrush**, **Taiga Flycatcher**, a couple of sunbird species, **Little Spiderhunter** and a variety of others.



Ferruginous Partridge at the amazing hide we were about to go to!

We then headed to a **Blue Pitta** blind (hide) and got close-up views of a female pitta after a long but very rewarding wait. The “wait” actually involved some of the best ever birding and mammal-watching; this hide is the best one I’ve ever been to anywhere in the world, as the bird and mammal activity just never stopped, not even for one minute, and there were just so many spectacular things to look at all the time. We got close-up views of many desirable birds, such as **Greater** and **Lesser Necklaced Laughingthrushes**, spectacular **White-crested Laughingthrushes**, wonderfully-colorful **Ferruginous Partridges** and strikingly-marked **Green-legged** and **Bar-backed Partridges**, **Kalij Pheasant**, many **Red Junglefowl**, **Common Emerald Doves**, **Green-eared Barbet**, spectacular woodpeckers in the form of **Greater Yellownape** and **Common Flameback**, **Hainan** and **Indochinese Blue Flycatchers**, **Siberian Blue Robin**, and last but by no means least, a **Large Scimitar Babbler** showing well. This is not an exhaustive list of all the birds we saw at the hide, either! Mammals were also very much in evidence, and we enjoyed seeing **Northern Treeshrew**, **Grey-bellied Squirrel**, **Berdmore’s** (Indochinese Ground) **Squirrel** and cute, active and strikingly-marked **Himalayan Striped Squirrels**, along with **Lesser Oriental Chevrotain** (Lesser Mouse Deer).



Green-eared Barbet showed well at the hide.

Day 3, 26th January 2025. A full day birding in Kaeng Krachan National Park

We started the day being serenaded by **Large-tailed Nightjar** and **Indian Stone-curlew** as we left our lodge. We then headed into the park proper, where we accumulated a list of 70 species for the next few hours. As we ascended to higher and higher elevations, we saw a few **Hill Blue Flycatchers**, along with **Verditer**, **Slaty-backed**, and **Taiga Flycatcher**. Bulbuls were much in evidence and we found seven species in turn at the various altitudes. **Sultan Tit**, **Great Iora**, **Large Woodshrike**, **Swinhoe’s Minivet**, **Grey-chinned Minivet**, **Vernal Hanging Parrot**, three barbet species and **Wedge-tailed Green Pigeon** were further brightly-colored species that helped

make the birding show such a great one today. **Yellow-bellied Warblers** frequented the bamboo, and we also found a number of **Yellow-browed Warblers** and a **Dusky Warbler**. **Swinhoe's White-eyes** and **Pin-striped Tit-Babblers** were everywhere, as were a handful of **White-browed Scimitar Babblers**. We also found a single **Rufous-fronted Babbler**. **Collared Babblers** went crazy for a while but getting good views of these was challenging. Two **Eye-browed Thrushes** showed well at the top of the mountain. Of very special note was a **Red-bearded Bee-eater**, a **Great Hornbill**, and a **Speckled Piculet**, all three of which showed marvelously well, posing for photos. **Asian Fairy-bluebirds** were, as always, a spectacular delight to see. **Blue-winged Leafbirds** were another jewel-like species we enjoyed seeing. But these paled when compared to the flock of spectacularly colorful **Long-tailed Broadbills** that came right over to us and then moved off. We also thoroughly enjoyed seeing **Silver-breasted Broadbills** back in the lower elevations a bit later. The lower elevations towards the end of the session were in fact completely awesome, allowing us sightings of the world's largest woodpecker, **Great Slaty Woodpecker** arriving at their regular roost tree, and also **Indochinese Roller**, **Oriental Pied Hornbill**, **Orange-breasted Trogon**, and last but not least a day-roosting **White-fronted Scops Owl**! Remarkably, we also managed to twitch a **Silver Oriole** today! Views were not the best but managing to catch up with this species, an individual of which had been hanging out here for over a month, is always a privilege.

Today was also good for some mammals. **Stump-tailed Macaques** and **Dusky Langurs** were both very entertaining, and the wonderful sounds of **Lar** (White-handed) **Gibbons** resounded through the forest the whole day.



Great Hornbill showed well

Day 4, 27th January 2025. Kaeng Krachan National Park to the Petchaburi rice paddies.

We decided to head up the mountain again to try for better views of **Silver Oriole** but only Chris managed to see it again. We were also trying to find Ratchet-tailed Treepie at high elevation, but unfortunately there was no sign of this target. Thankfully, this was one of the few birds we missed on this otherwise very successful short trip. Arguably the biggest consolation for this miss, was a sighting of a **Sun Bear** next to the road, just as we entered the park this morning! How awesome! We also saw some other nice birds, such as a **Kalij Pheasant** in the road as we ascended, a majestic **Wreathed Hornbill**, a beautiful **Orange-headed Thrush** right beside the road, **Little Spiderhunter** and various other birds.



*Another scene from the hide earlier in the trip: **Kalij Pheasant** and **Grey-bellied Squirrel**.*

After lunch, we descended the mountain and headed for Bang Chak rice paddies for our first attempt to find **Pied Harrier**. We found none today but fortunately saw quite a few the next morning, albeit no adult males. We did find a lot of **Eastern Marsh Harriers** this afternoon, including a spectacular male. Other raptors were numerous, and we loved seeing a stack of **Black Kites**, good numbers of **Brahminy Kites**, a couple of **Black-winged Kites**, and one each of **Greater Spotted** and **Eastern Imperial Eagles**. We also managed excellent views of one of our targets, the lovely (despite the boring name) **Plain-backed Sparrow**. And we encountered many other birds around the rice paddies. Among these species were a few **Plaintive Cuckoos**, some **Little Ringed Plovers**, an extremely close-up **Bronze-winged Jacana** that however didn't stay long enough for photos, hundreds of **Asian Openbills**, a couple of **Painted Storks**, a nice **Yellow Bittern**, and many other herons and egrets including large numbers of **Purple Herons**. Also in evidence, were stunningly colorful **Asian Green** and **Blue-tailed Bee-eaters**, **White-throated**

Kingfishers, Ashy Woodswallows, Malaysian Pied Fantails, a couple of Plain Prinias, Amur Stonechats, all three weaver species, and a lot of Eastern Yellow Wagtails.

Day 5, 28th January 2025. Bang Chak rice paddies before onwards flights

This was our final morning before Tim flew to southern Thailand for further birding while I flew home. It was a great morning with 61 species including our main target, **Pied Harrier**. We arrived just as it was starting to get light and a **Black-crowned Night Heron** flew over, presumably on its way to roost for the day. A **Pin-tailed Snipe** gave us a nice flight view early in the morning. **Black-browed Reed Warblers** showed well and we saw a couple of **Oriental Reed Warblers** more briefly. Tim found a **Little Grebe**, and an **Oriental Darter** flew over at one point, along with the two cormorant species which were everywhere. We saw three **Yellow Bitterns**, and a **Cinnamon Bittern** also gave brief views. A few **Black-headed Ibises** were around. An **Indochinese Roller** and a **Common Iora** were also around. A **Bluethroat** showed extremely well, and LBJs in the form of **Paddyfield Pipits** also did.

We ended this short but excitingly successful and fun trip with a great lunch before heading to the airport.



Spoon-billed Sandpiper again to end off the trip report!

Bird List – Following IOC (version 14.2, August 2024)

Birds ‘heard only’ are marked with (H) after the common name, all other species were seen. The following notation after species names is used to show conservation status following BirdLife International: CR = Critically Endangered, EN = Endangered, VU = Vulnerable.

| Common Name | Scientific Name |
|---|------------------------------------|
| Ducks, Geese, Swans (Anatidae) | |
| Lesser Whistling Duck | <i>Dendrocygna javanica</i> |
| | |
| Pheasants & Allies (Phasianidae) | |
| Ferruginous Partridge | <i>Caloperdix oculeus</i> |
| Bar-backed Partridge | <i>Arborophila brunneopectus</i> |
| Kalij Pheasant | <i>Lophura leucomelanos</i> |
| Green-legged Partridge | <i>Tropicoperdix chloropus</i> |
| Grey Peacock-Pheasant (H) | <i>Polyplectron bicalcaratum</i> |
| Red Junglefowl | <i>Gallus gallus</i> |
| | |
| Nightjars (Caprimulgidae) | |
| Large-tailed Nightjar | <i>Caprimulgus macrurus</i> |
| | |
| Swifts (Apodidae) | |
| Himalayan Swiftlet | <i>Aerodramus brevirostris</i> |
| Edible-nest Swiftlet | <i>Aerodramus fuciphagus</i> |
| Asian Palm Swift | <i>Cypsiurus balasiensis</i> |
| | |
| Cuckoos (Cuculidae) | |
| Greater Coucal | <i>Centropus sinensis</i> |
| Chestnut-breasted Malkoha | <i>Phaenicophaeus curvirostris</i> |
| Green-billed Malkoha | <i>Phaenicophaeus tristis</i> |
| Asian Koel | <i>Eudynamys scolopaceus</i> |
| Plaintive Cuckoo | <i>Cacomantis merulinus</i> |
| Large Hawk-Cuckoo | <i>Hierococcyx sparveroides</i> |

| Common Name | Scientific Name |
|--|-----------------------------------|
| | |
| Pigeons, Doves (Columbidae) | |
| Rock Dove | <i>Columba livia</i> |
| Red Collared Dove | <i>Streptopelia tranquebarica</i> |
| Spotted Dove | <i>Spilopelia chinensis</i> |
| Common Emerald Dove | <i>Chalcophaps indica</i> |
| Zebra Dove | <i>Geopelia striata</i> |
| Pink-necked Green Pigeon | <i>Treron vernans</i> |
| Wedge-tailed Green Pigeon | <i>Treron sphenurus</i> |
| | |
| Rails, Crakes & Coots (Rallidae) | |
| Common Moorhen | <i>Gallinula chloropus</i> |
| White-breasted Waterhen | <i>Amaurornis phoenicurus</i> |
| | |
| Grebes (Podicipedidae) | |
| Little Grebe | <i>Tachybaptus ruficollis</i> |
| | |
| Stone-curlews, Thick-knees (Burhinidae) | |
| Indian Stone-curlew (H) | <i>Burhinus indicus</i> |
| | |
| Stilts, Avocets (Recurvirostridae) | |
| Black-winged Stilt | <i>Himantopus himantopus</i> |
| Pied Avocet | <i>Recurvirostra avosetta</i> |
| | |
| Plovers (Charadriidae) | |
| Grey Plover | <i>Pluvialis squatarola</i> |
| Pacific Golden Plover | <i>Pluvialis fulva</i> |
| Little Ringed Plover | <i>Charadrius dubius</i> |
| Red-wattled Lapwing | <i>Vanellus indicus</i> |
| Tibetan Sand Plover | <i>Anarhynchus atrifrons</i> |
| Malaysian Plover | <i>Anarhynchus peronii</i> |
| Kentish Plover | <i>Anarhynchus alexandrinus</i> |

| Common Name | Scientific Name |
|--|---------------------------------|
| White-faced Plover | <i>Anarhynchus dealbatus</i> |
| | |
| Jacanas (Jacanidae) | |
| Bronze-winged Jacana | <i>Metopidius indicus</i> |
| | |
| Sandpipers, Snipes (Scolopacidae) | |
| Eurasian Whimbrel | <i>Numenius phaeopus</i> |
| Bar-tailed Godwit | <i>Limosa lapponica</i> |
| Black-tailed Godwit | <i>Limosa limosa</i> |
| Asian Dowitcher | <i>Limnodromus semipalmatus</i> |
| Pin-tailed Snipe | <i>Gallinago stenura</i> |
| Terek Sandpiper | <i>Xenus cinereus</i> |
| Common Sandpiper | <i>Actitis hypoleucos</i> |
| Marsh Sandpiper | <i>Tringa stagnatilis</i> |
| Wood Sandpiper | <i>Tringa glareola</i> |
| Common Redshank | <i>Tringa totanus</i> |
| Nordmann's Greenshank - EN | <i>Tringa guttifer</i> |
| Spotted Redshank | <i>Tringa erythropus</i> |
| Common Greenshank | <i>Tringa nebularia</i> |
| Ruddy Turnstone | <i>Arenaria interpres</i> |
| Great Knot - EN | <i>Calidris tenuirostris</i> |
| Red Knot | <i>Calidris canutus</i> |
| Ruff | <i>Calidris pugnax</i> |
| Broad-billed Sandpiper | <i>Calidris falcinellus</i> |
| Curlew Sandpiper | <i>Calidris ferruginea</i> |
| Temminck's Stint | <i>Calidris temminckii</i> |
| Long-toed Stint | <i>Calidris subminuta</i> |
| Red-necked Stint | <i>Calidris ruficollis</i> |
| Spoon-billed Sandpiper - CR | <i>Calidris pygmaea</i> |
| Sanderling | <i>Calidris alba</i> |
| | |

| Common Name | Scientific Name |
|---|---------------------------------------|
| Gulls, Terns, Skimmers (Laridae) | |
| Little Tern | <i>Sternula albifrons</i> |
| Gull-billed Tern | <i>Gelochelidon nilotica</i> |
| Caspian Tern | <i>Hydroprogne caspia</i> |
| Whiskered Tern | <i>Chlidonias hybrida</i> |
| Common Tern | <i>Sterna hirundo</i> |
| Greater Crested Tern | <i>Thalasseus bergii</i> |
| Brown-headed Gull | <i>Chroicocephalus brunnicephalus</i> |
| | |
| Storks (Ciconiidae) | |
| Asian Openbill | <i>Anastomus oscitans</i> |
| Lesser Adjutant | <i>Leptoptilos javanicus</i> |
| Painted Stork | <i>Mycteria leucocephala</i> |
| | |
| Cormorants, Shags (Phalacrocoracidae) | |
| Little Cormorant | <i>Microcarbo niger</i> |
| Indian Cormorant | <i>Phalacrocorax fuscicollis</i> |
| | |
| Ibises, Spoonbills (Threskiornithidae) | |
| Black-headed Ibis | <i>Threskiornis melanocephalus</i> |
| | |
| Hérons, Bitterns (Ardeidae) | |
| Yellow Bittern | <i>Botaurus sinensis</i> |
| Pacific Reef Heron | <i>Egretta sacra</i> |
| Chinese Egret - VU | <i>Egretta eulophotes</i> |
| Little Egret | <i>Egretta garzetta</i> |
| Chinese Pond Heron | <i>Ardeola bacchus</i> |
| Great Egret | <i>Ardea alba</i> |
| Medium Egret | <i>Ardea intermedia</i> |
| Eastern Cattle Egret | <i>Ardea coromanda</i> |
| Grey Heron | <i>Ardea cinerea</i> |

| Common Name | Scientific Name |
|--|----------------------------------|
| Purple Heron | <i>Ardea purpurea</i> |
| | |
| Kites, Hawks, Eagles (Accipitridae) | |
| Black-winged Kite | <i>Elanus caeruleus</i> |
| Crested Serpent Eagle | <i>Spilornis cheela</i> |
| Greater Spotted Eagle - VU | <i>Clanga clanga</i> |
| Eastern Imperial Eagle - VU | <i>Aquila heliaca</i> |
| Eastern Marsh Harrier | <i>Circus spilonotus</i> |
| Pied Harrier | <i>Circus melanoleucos</i> |
| Black Kite | <i>Milvus migrans</i> |
| Brahminy Kite | <i>Haliastur indus</i> |
| | |
| Owls (Strigidae) | |
| Collared Owlet (H) | <i>Taeniopteryx brodiei</i> |
| White-fronted Scops Owl - VU | <i>Otus sagittatus</i> |
| Mountain Scops Owl (H) | <i>Otus spilocephalus</i> |
| | |
| Trogons (Trogonidae) | |
| Orange-breasted Trogon | <i>Harpactes oreskios</i> |
| Red-headed Trogon (H) | <i>Harpactes erythrocephalus</i> |
| | |
| Hornbills (Bucerotidae) | |
| Great Hornbill - VU | <i>Buceros bicornis</i> |
| Oriental Pied Hornbill | <i>Anthracoceros albirostris</i> |
| | |
| Rollers (Coraciidae) | |
| Indochinese Roller | <i>Coracias affinis</i> |
| | |
| Kingfishers (Alcedinidae) | |
| White-throated Kingfisher | <i>Halcyon smyrnensis</i> |
| Black-capped Kingfisher - VU | <i>Halcyon pileata</i> |
| Collared Kingfisher | <i>Todiramphus chloris</i> |

| Common Name | Scientific Name |
|--|--------------------------------------|
| | |
| Bee-eaters (Meropidae) | |
| Red-bearded Bee-eater | <i>Nyctyornis amictus</i> |
| Asian Green Bee-eater | <i>Merops orientalis</i> |
| Blue-tailed Bee-eater | <i>Merops philippinus</i> |
| Chestnut-headed Bee-eater | <i>Merops leschenaulti</i> |
| | |
| Asian Barbets (Megalaimidae) | |
| Lineated Barbet (H) | <i>Psilopogon lineatus</i> |
| Green-eared Barbet | <i>Psilopogon faiostrictus</i> |
| Blue-throated Barbet | <i>Psilopogon asiaticus</i> |
| Blue-eared Barbet | <i>Psilopogon cyanotis</i> |
| Coppersmith Barbet (H) | <i>Psilopogon haemacephalus</i> |
| | |
| Woodpeckers (Picidae) | |
| Speckled Piculet | <i>Picumnus innominatus</i> |
| Greater Yellownap | <i>Chrysophlegma flavinucha</i> |
| Common Flameback | <i>Dinopium javanense</i> |
| Greater Flameback | <i>Chrysocolaptes guttacristatus</i> |
| Great Slaty Woodpecker - VU | <i>Mulleripicus pulverulentus</i> |
| | |
| Old World Parrots (Psittaculidae) | |
| Vernal Hanging Parrot | <i>Loriculus vernalis</i> |
| | |
| Typical Broadbills (Eurylaimidae) | |
| Long-tailed Broadbill | <i>Psarisomus dalhousiae</i> |
| Silver-breasted Broadbill | <i>Serilophus lunatus</i> |
| | |
| Pittas (Pittidae) | |
| Blue Pitta | <i>Hydrornis cyaneus</i> |
| | |
| Vangas & Allies (Vangidae) | |

| Common Name | Scientific Name |
|--|---------------------------------|
| Large Woodshrike | <i>Tephrodornis virgatus</i> |
| | |
| Woodswallows, Butcherbirds & Allies (Artamidae) | |
| Ashy Woodswallow | <i>Artamus fuscus</i> |
| | |
| Ioras (Aegithinidae) | |
| Great Iora | <i>Aegithina lafresnayei</i> |
| | |
| Cuckooshrikes (Campephagidae) | |
| Grey-chinned Minivet | <i>Pericrocotus solaris</i> |
| Swinhoe's Minivet | <i>Pericrocotus cantonensis</i> |
| Black-winged Cuckooshrike | <i>Lalage melaschistos</i> |
| | |
| Figbirds, Old World Orioles, Piopios (Oriolidae) | |
| Silver Oriole - EN | <i>Oriolus mellianus</i> |
| Black-naped Oriole | <i>Oriolus chinensis</i> |
| | |
| Drongos (Dicruridae) | |
| Greater Racket-tailed Drongo | <i>Dicrurus paradiseus</i> |
| Hair-crested Drongo | <i>Dicrurus hottentottus</i> |
| Ashy Drongo | <i>Dicrurus leucophaeus</i> |
| Black Drongo | <i>Dicrurus macrocercus</i> |
| | |
| Fantails (Rhipiduridae) | |
| Malaysian Pied Fantail | <i>Rhipidura javanica</i> |
| | |
| Monarchs (Monarchidae) | |
| Black-naped Monarch | <i>Hypothymis azurea</i> |
| | |
| Shrikes (Laniidae) | |
| Brown Shrike | <i>Lanius cristatus</i> |
| | |

| Common Name | Scientific Name |
|--|------------------------------------|
| Crows, Jays (Corvidae) | |
| Common Green Magpie (H) | <i>Cissa chinensis</i> |
| Racket-tailed Treepie | <i>Crypsirina temia</i> |
| Large-billed Crow | <i>Corvus macrorhynchos</i> |
| | |
| Fairy Flycatchers (Stenostiridae) | |
| Grey-headed Canary-flycatcher | <i>Culicicapa ceylonensis</i> |
| | |
| Tits, Chickadees (Paridae) | |
| Sultan Tit | <i>Melanochlora sultanea</i> |
| | |
| Bulbuls (Pycnonotidae) | |
| Ochraceous Bulbul | <i>Alophoixus ochraceus</i> |
| Olive Bulbul | <i>Iole viridescens</i> |
| Ashy Bulbul | <i>Hemixos flavala</i> |
| Mountain Bulbul | <i>Ixos mccllellandii</i> |
| Black-headed Bulbul | <i>Brachypodius melanocephalos</i> |
| Black-crested Bulbul | <i>Rubigula flaviventris</i> |
| Streak-eared Bulbul | <i>Pycnonotus conradi</i> |
| Stripe-throated Bulbul | <i>Pycnonotus finlaysoni</i> |
| Yellow-vented Bulbul | <i>Pycnonotus goiavier</i> |
| Sooty-headed Bulbul | <i>Pycnonotus aurigaster</i> |
| | |
| Swallows, Martins (Hirundinidae) | |
| Barn Swallow | <i>Hirundo rustica</i> |
| | |
| Cettia Bush Warblers & Allies (Cettiidae) | |
| Yellow-bellied Warbler | <i>Abroscopus superciliaris</i> |
| | |
| Leaf Warblers (Phylloscopidae) | |
| Yellow-browed Warbler | <i>Phylloscopus inornatus</i> |
| Dusky Warbler | <i>Phylloscopus fuscatus</i> |

| Common Name | Scientific Name |
|---|----------------------------------|
| Arctic Warbler | <i>Phylloscopus borealis</i> |
| | |
| Reed Warblers & Allies (Acrocephalidae) | |
| Oriental Reed Warbler | <i>Acrocephalus orientalis</i> |
| Black-browed Reed Warbler | <i>Acrocephalus bistrigiceps</i> |
| | |
| Cisticolas & Allies (Cisticolidae) | |
| Zitting Cisticola | <i>Cisticola juncidis</i> |
| Plain Prinia | <i>Prinia inornata</i> |
| Common Tailorbird (H) | <i>Orthotomus sutorius</i> |
| Dark-necked Tailorbird | <i>Orthotomus atrogularis</i> |
| | |
| White-eyes (Zosteropidae) | |
| Swinhoe's White-eye | <i>Zosterops simplex</i> |
| | |
| Babblers, Scimitar Babblers (Timaliidae) | |
| Pin-striped Tit-Babbler | <i>Mixornis gularis</i> |
| Rufous-fronted Babbler (H) | <i>Cyanoderma rufifrons</i> |
| White-browed Scimitar Babbler | <i>Pomatorhinus schisticeps</i> |
| Large Scimitar Babbler | <i>Erythrogenys hypoleucos</i> |
| | |
| Ground Babblers (Pellorneidae) | |
| Collared Babbler | <i>Gampsorhynchus torquatus</i> |
| Puff-throated Babbler | <i>Pellorneum ruficeps</i> |
| Buff-breasted Babbler | <i>Pellorneum tickelli</i> |
| | |
| Alcippe Fulvettas (Alcippeidae) | |
| Brown-cheeked Fulvetta | <i>Alcippe poioicephala</i> |
| | |
| Laughingthrushes & Allies (Leiothrichidae) | |
| Lesser Necklaced Laughingthrush | <i>Garrulax monileger</i> |
| White-crested Laughingthrush | <i>Garrulax leucolophus</i> |

| Common Name | Scientific Name |
|--|-------------------------------|
| Greater Necklaced Laughingthrush | <i>Pterorhinus pectoralis</i> |
| | |
| Fairy-bluebirds (Irenidae) | |
| Asian Fairy-bluebird | <i>Irena puella</i> |
| | |
| Starlings, Rhabdornises (Sturnidae) | |
| Common Hill Myna | <i>Gracula religiosa</i> |
| Great Myna | <i>Acridotheres grandis</i> |
| Common Myna | <i>Acridotheres tristis</i> |
| Siamese Pied Myna | <i>Gracupica floweri</i> |
| | |
| Thrushes (Turdidae) | |
| Orange-headed Thrush | <i>Geokichla citrina</i> |
| Eyebrowed Thrush | <i>Turdus obscurus</i> |
| | |
| Chats, Old World Flycatchers (Muscicapidae) | |
| Oriental Magpie-Robin | <i>Copsychus saularis</i> |
| White-rumped Shama | <i>Copsychus malabaricus</i> |
| Asian Brown Flycatcher | <i>Muscicapa dauurica</i> |
| Verditer Flycatcher | <i>Eumyias thalassinus</i> |
| Chinese Blue Flycatcher | <i>Cyornis glaucicomans</i> |
| Hainan Blue Flycatcher | <i>Cyornis hainanus</i> |
| Indochinese Blue Flycatcher | <i>Cyornis sumatrensis</i> |
| Hill Blue Flycatcher | <i>Cyornis whitei</i> |
| Bluethroat | <i>Luscinia svecica</i> |
| Blue Whistling Thrush | <i>Myophonus caeruleus</i> |
| Siberian Blue Robin | <i>Larvivora cyane</i> |
| Slaty-backed Flycatcher | <i>Ficedula erithacus</i> |
| Taiga Flycatcher | <i>Ficedula albicilla</i> |
| Amur Stonechat | <i>Saxicola stejnegeri</i> |
| | |

| Common Name | Scientific Name |
|---|---------------------------------|
| Leafbirds (Chloropseidae) | |
| Blue-winged Leafbird | <i>Chloropsis moluccensis</i> |
| | |
| Flowerpeckers (Dicaeidae) | |
| Plain Flowerpecker | <i>Dicaeum minullum</i> |
| Scarlet-backed Flowerpecker | <i>Dicaeum cruentatum</i> |
| | |
| Sunbirds (Nectariniidae) | |
| Ruby-cheeked Sunbird | <i>Chalcoparia singalensis</i> |
| Brown-throated Sunbird | <i>Anthreptes malacensis</i> |
| Ornate Sunbird | <i>Cinnyris ornatus</i> |
| Little Spiderhunter | <i>Arachnothera longirostra</i> |
| | |
| Old World Sparrows, Snowfinches (Passeridae) | |
| Eurasian Tree Sparrow | <i>Passer montanus</i> |
| Plain-backed Sparrow | <i>Passer flaveolus</i> |
| House Sparrow | <i>Passer domesticus</i> |
| | |
| Weavers, Widowbirds (Ploceidae) | |
| Asian Golden Weaver | <i>Ploceus hypoxanthus</i> |
| Streaked Weaver | <i>Ploceus manyar</i> |
| Baya Weaver | <i>Ploceus philippinus</i> |
| | |
| Waxbills, Munias & Allies (Estrildidae) | |
| Scaly-breasted Munia | <i>Lonchura punctulata</i> |
| White-rumped Munia | <i>Lonchura striata</i> |
| Chestnut Munia | <i>Lonchura atricapilla</i> |
| | |
| Wagtails, Pipits (Motacillidae) | |
| Eastern Yellow Wagtail | <i>Motacilla tschutschensis</i> |
| Grey Wagtail | <i>Motacilla cinerea</i> |
| Richard's Pipit | <i>Anthus richardi</i> |

| Common Name | Scientific Name |
|-------------------------------|-------------------------|
| Paddyfield Pipit | <i>Anthus rufulus</i> |
| | |
| Buntings (Emberizidae) | |
| Yellow-breasted Bunting - CR | <i>Emberiza aureola</i> |

| | |
|-------------------|------------|
| Total seen | 208 |
| Total heard only | 10 |
| Total recorded | 218 |

Mammal List – Following Mammal Watching (April 2024)

| Common Name | Scientific Name |
|--|--------------------------------|
| Treeshrews (Tupaiaidae) | |
| Northern Treeshrew | <i>Tupaia belangeri</i> |
| | |
| Old World Monkeys (Cercopithecidae) | |
| Stump-tailed Macaque - VU | <i>Macaca arctoides</i> |
| Dusky Langur - EN | <i>Trachypithecus obscurus</i> |
| | |
| Squirrels (Sciuridae) | |
| Grey-bellied Squirrel | <i>Callosciurus caniceps</i> |
| Berdmore's Squirrel | <i>Menetes berdmorei</i> |
| Himalayan Striped Squirrel | <i>Tamias mccllellandii</i> |
| | |
| Bears (Ursidae) | |
| Sun Bear - VU | <i>Helarctos malayanus</i> |
| | |
| Chevrotains (Tragulidae) | |
| Lesser Oriental Chevrotain | <i>Tragulus kanchil</i> |

| | |
|--------------|----------|
| Total | 8 |
|--------------|----------|